



INTERNATIONAL JOURNAL OF CLINICAL SKILLS



A Peer Reviewed International Journal for the Advancement of Clinical Skills
- *'docendo ac discendo' - 'by teaching and learning'*



In this issue:

Emotion and concealed motivation in the clinical interview

Peripheral cannulation: what's the benefit and what's important?

Adapting clinical skills training to an Arabian Gulf setting

Role of clinical nurse educators in medical education

Simulation learning in health care

Executive Board

Dr Humayun Ayub

Editor-in-Chief
editor@ijocs.org

Dr Alison Anderson

Executive Editor
a.anderson@ijocs.org

Mrs Sally Richardson

Senior Associate Editor
s.richardson@ijocs.org

Mr Keser Ayub

Managing Director
k.ayub@ijocs.org

Dr Waseem Ahmed

Clinical Skills Lab Editor
w.ahmed@ijocs.org

Dr Raina Nazar

Clinical Skills Editor
r.nazar@ijocs.org

Dr Hind Al Dhaheri

Associate Editor
h.aldhaheri@ijocs.org



International Journal Of Clinical Skills
P O Box 56395
London
SE1 2UZ
United Kingdom

E-mail: info@ijocs.org
Web: www.ijocs.org
Tel: +44 (0) 845 0920 114
Fax: +44 (0) 845 0920 115

Published by Hampton Bond

Acknowledgements

We would like to take this opportunity to show appreciation to all those involved with the production of the International Journal of Clinical Skills (IJOCs). Many thanks to all members of the Editorial and Executive Boards.

We would like to express our sincere gratitude to Dr Wing Yan Mok and Dr Adrian Hastings as they leave the IJOCs and we thank them for their invaluable support towards the international clinical skills community.

The International Journal of Clinical Skills looks forward to contributing positively towards the training of all members of the healthcare profession.

Contents

The Executive Board Members	73
Acknowledgements	73
The Editorial Board	74
Foreword	
- Dr Abigail Boys	75

Editorials

Emotion and concealed motivation in the clinical interview	
- Philip Gaughwin	76
Adapting clinical skills training to an Arabian Gulf setting	
- Deen Mirza	81
A patient safety 'Student Selected Component' at the University of Dundee (UK)	
- Gillian Paterson	84

Original Research

Attitudes of students, staff and patients towards teaching medical students in the clinical environment	
- Alexandra Highton	88
Refresher training for junior doctors about peripheral cannulation: what's the benefit and what's important?	
- Eleanor Guegan	95
The use of the Direct Observation of Procedural Skills (DOPS) assessment tool in the clinical setting - the perceptions of students	
- Roderick McLeod	102
A 'near-peer' assisted learning approach to teaching undergraduate basic surgical skills	
- Michael Keogh	108
Development and face validation of an instrument to assess and improve clinical consultation skills	
- Janet Lefroy	115
Staff and student perceptions regarding a clinical skills laboratory learning experience	
- Shazia Ibnerasa	126
Promoting transfer of clinical skills from simulation to hospital settings: the role of clinical nurse educators in medical education	
- Robyn Hill	130
Simulation learning in health care: is there evidence of transfer to the workplace?	
- Stephen Abbott	136

IJOCs Award Winner	141
---------------------------	-----

Book Review	142
--------------------	-----

Clinical Skills Notice Board	143
-------------------------------------	-----

Editorial Board for the International Journal of Clinical Skills

Dr Ali H M Abdallah MB BS

Family Medicine
Dubai Health Authority (DHA)
United Arab Emirates (UAE)

**Mr Henry O Andrews FRCS(Eng) FRCS(Ire)
FRCS(Urol) FEBU MBA**

Consultant Urological & Laparoscopic Surgeon
Department of Urology
Milton Keynes General Hospital, UK

**Dr Peter J M Barton MBChB FRCGP MBA
DCH FHEA**

Director of Clinical and Communication Skills
Chair of Assessment Working Group
Medical School
University of Glasgow, UK

Dr Jonathan Bath MB BS BSc (Hons)

Department of Surgery
Ronald Reagan UCLA Medical Center
Los Angeles
United States of America (USA)

Dr Khaled Al Beraiki MB BS

Forensic Medicine
Klinikum Der Universität zu Köln
Institut für Rechtsmedizin
University of Köln
Germany

**Professor Chris Butler BA MBChB DCH
FRCGP MD**

Professor of Primary Care Medicine
Head of Department of Primary Care and Public
Health
Cardiff University, UK

**Dr Aidan Byrne MSc MD MRCP FRCA
ILTM FAcadM**

Interim Director of Clinical Skills and Simulation
School of Medicine
Cardiff University, UK

Dr Dason E Evans MBBS MHPE FHEA

Honorary Senior Lecturer in Medical Education
Barts and the London, Queen Mary's School of
Medicine and Dentistry
University of London, UK

**Mrs Carol Fordham-Clarke BSc (Hons)
RGN Dip Nurse Ed**

Lecturer and OSCE Co-ordinator
Florence Nightingale School of Nursing &
Midwifery
King's College London, UK

**Dr Elaine Gill PhD BA (Hons) RHV RGN
Cert Couns**

Head of Clinical Communication
The Chantler Clinical Skills Centre
Guy's, King's and St Thomas' Medical School
King's College London, UK

**Dr Glenn H Griffin MSc MEd MD FCFPC
FAAFP**

Family Physician Active Staff
Trenton Memorial Hospital
Trenton, Ontario
Canada

Dr Faith Hill BA PGCE MA(Ed) PhD

Director of Medical Education Division
School of Medicine
University of Southampton, UK

**Dr Jean S Ker BSc (Med Sci) MB ChB
DRCOG MRCGP MD Dundee FRCGP
FRCPE (Hon)**

Director of Clinical Skills Centre
University of Dundee Clinical Skills Centre
Ninewells Hospital & Medical School
University of Dundee, UK

**Dr Lisetta Lovett BSc DHMSA MBBS
FRCPsych**

Senior Lecturer and Consultant Psychiatrist
Clinical Education Centre
Keele Undergraduate Medical School
Keele University, UK

Miss Martina Mehring, Physician

Assistenzärztin Anästhesie
Marienkrankenhaus
Frankfurt
Germany

**Professor Maggie Nicol BSc (Hons) MSc
PGDipEd RGN**

Professor of Clinical Skills & CETL Director
School of Community & Health Sciences
City University London, UK

**Dr Vinod Patel BSc (Hons) MD FRCP
MRCGP DRCOG**

Associate Professor (Reader) in Clinical Skills
Institute of Clinical Education
Warwick Medical School
University of Warwick, UK

Miss Anne Pegram MPhil PGCE(A) BSc RN

Lecturer
Department of Acute Adult Nursing
Florence Nightingale School of Nursing
King's College London, UK

Dr Abdul Rashid Abdul Kader MD (UKM)

Emergency Medicine
Universiti Kebangsaan Malaysia (UKM) Medical
Center
Kuala Lumpur
Malaysia

**Professor Trudie E Roberts BSc (Hons) MB
ChB PhD FRCP**

Director – Leeds Institute of Medical Education
University of Leeds, UK

Dr Robyn Saw FRACS MS

Surgeon
Sydney Melanoma Unit
Royal Prince Alfred Hospital
Australia

**Dr Mohamed Omar Sherif MBBS Dip
Derm MD (Derm)**

Specialist in Dermatology
Al Ain Hospital
Health Authority - Abu Dhabi
United Arab Emirates (UAE)

Professor John Spencer MB ChB FRCGP

School of Medical Sciences Education
Development
Newcastle University, UK

**Professor Patsy A Stark PhD BA (Hons) RN
RM FHEA**

Professor of Clinical Medical Education and
Director of Clinical Skills
University of Leeds and Leeds Teaching Hospitals
Trust, UK

**Professor Val Wass BSc MRCP FRCGP
MHPE PhD**

Head of Keele Medical School
Keele University, UK

Disclaimer & Information

Visit the International Journal of Clinical Skills (IJOCS) at www.ijocs.org

Whilst every effort has been made to ensure the accuracy of information within the IJOCS, no responsibility for damage, loss or injury whatsoever to any person acting or refraining from action as a result of information contained within the IJOCS (all formats), or associated publications (including letters, e-mails, supplements), can be accepted by those involved in its publication, including but not limited to contributors, authors, editors, managers, designers, publishers and illustrators.

Always follow the guidelines issued by the appropriate authorities in the country in which you are practicing and the manufacturers of specific products. Medical knowledge is constantly changing and whilst the authors have ensured that all advice, recipes, formulas, instructions, applications, dosages and practices are based on current indications, there may be specific differences between communities. The IJOCS advises readers to confirm the information, especially with regard to drug usage, with current standards of practice.

International Journal of Clinical Skills (IJOCS) and associated artwork are registered trademarks of the Journal. IJOCS is registered with the British Library, print ISSN 1753-0431 & online ISSN 1753-044X. No part of IJOCS, or its additional publications, may be reproduced or transmitted, in any form or by any means, without permission. The International Journal of Clinical Skills thanks you for your co-operation.

The International Journal of Clinical Skills (IJOCS) is a trading name of SkillsClinic Limited a Company registered in England & Wales. Company Registration No. 6310040. VAT number 912180948. IJOCS abides by the Data Protection Act 1998 Registration Number Z1027439. This Journal is printed on paper as defined by ISO 9706 standard, acid free paper.

© International Journal of Clinical Skills

Foreword

Clinical skills change lives...



Dr. Abigail Boys & Regina (October 2010)

Amidst the fast paced achievements in international healthcare and education, it is important not to forget what clinical skills mean in reality for our patients – clinical skills change lives.

After having initiated the charitable society Willing and Abel in 2008, many health care professionals have had the pleasure of using their specialised and expert clinical skills to help children of developing nations requiring specialist surgery. An example is 13 year old Regina who was born with a tumour fatally spreading across her face (congenital lymphangioma) – she successfully underwent major surgery at The Royal London Hospital (United Kingdom) in December 2010 and now continues to lead a normal life in Ghana, West Africa (www.bbctelevision.co.uk).

Such success exemplifies a fundamental strength of the clinical skills community in its ability to evolve and adapt to meet the challenges and expectations of a modern healthcare arena. Healthcare professionals need to have clinical skills training which will allow them to meet present and future challenges, which include an ageing population, multiple morbidities and increasing patient expectations.

There is no doubt that the International Journal of Clinical Skills provides an excellent forum for the global healthcare community to further clinical skills research, as well as advancing the training of students, academics and health professionals. I wish the International Journal of Clinical Skills continued success for its admirable work in this important field.

Dr. Abigail Boys MBBS MRCS (Eng)
 Founder of Willing and Abel
www.willingandabel.org.uk

Development and face validation of an instrument to assess and improve clinical consultation skills

Dr Janet Lefroy MA MBBS MRCGP DRCOG DCH MMedEd *

Senior Lecturer in Medical Education

Dr Simon Gay MBBS MSc DCH DRCOG MRCGP *

Lecturer in Academic General Practice

Dr Sheena Gibson MBBS DFFP DRCOG MRCGP MMedEd *

Lecturer in Medical Education

Dr Stephen Williams MBChB FRCPCH MSc Community Paediatrics *

Senior Lecturer

Professor Robert K McKinley MD FRCP FRCGP *

Professor of Academic General Practice

* Keele University School of Medicine, Keele, United Kingdom

Correspondence:

Dr Janet Lefroy
Keele University
School of Medicine
Keele
Staffs
ST5 5BG
UK

E-mail: j.lefroy@doctors.org.uk

Tel: +44 (0) 1782734681

Fax: +44 (0) 1782415692

Keywords:

Workplace based assessment
Consultation
Skills
Undergraduate medical student
Calgary Cambridge
Validation

Abstract

Context: Development of medical students' consultation skills with patients is at the core of the UK General Medical Council's 'Tomorrow's Doctors' guide (2009). Teaching and assessment of these skills must therefore be a core component of the medical undergraduate curriculum. The Calgary Cambridge guide to the medical interview and the Leicester Assessment Package (LAP) provide a foundation for teaching and assessment, but both have different strengths.

Objective: To develop and validate a comprehensive set of generic consultation competencies.

Design: The Calgary Cambridge guide to the medical interview was revised to include 'clinical reasoning', 'management', 'record keeping' and 'case presentation'. Each section was populated with competencies generated from Tomorrow's Doctors (2009), the LAP and the Calgary Cambridge guide to the medical interview. A Delphi validation study was conducted with a panel drawn from hospital and general practice clinical tutors from eight UK medical schools.

Main outcome measures: *A priori* consensus standards for inclusion (or exclusion) of an element were: at Stage 1 $\geq 70\%$ agreement (or disagreement) that the item should be included; at Stage 2 $\geq 50\%$ agreement (or disagreement) that the item should be included. If more than 10% of respondents suggested a thematically similar new item (or rewording of an existing item) in Stage 1, it was included in Stage 2.

Results: The design stage resulted in a set of 9 categories of consultation skills with 58 component competencies. In the Delphi study all the competencies reached 70% agreement for inclusion, with 24 suggested amendments, all of which achieved consensus for inclusion at Stage 2.

Conclusion: We have developed a Generic Consultation Skills assessment framework (GeCoS) through a rigorous initial development and piloting process and a multi-institutional and multi-speciality Delphi process. GeCoS is now ready for use as a tool for teaching, formative and summative assessment in any simulated or workplace environment in the hospital or community clinical setting.

Introduction

The UK General Medical Council's (GMC) Tomorrow's Doctors guide (2009) has laid new emphasis on the importance of the 'Doctor as a practitioner' and, in paragraphs 13 to 15, describes the skills the medical graduate needs to acquire to consult with patients [1]. These are a complex amalgam of cognitive, psychomotor, communication and interpersonal skills which,

like any other set of high level skills, need sustained repeated deliberate practice [2, 3], with support from tutors through formative assessment. Such formative assessment should be congruent with both the curriculum and with summative assessment.

The Calgary Cambridge guide to the medical interview is used by many medical schools worldwide as the basis of their communication skills curricula [4, 5]. However, it does not address the additional cognitive skills required for making a diagnosis or identifying appropriate management options and, although some congruent assessment schedules have been developed, they are context specific and have not been widely evaluated [4]. Conversely the Leicester Assessment Package (LAP) [6, 7] was developed and used to support both formative and summative assessment of undergraduate [8, 9] trainees [10, 11] and established practitioners [12, 13, 14] in the UK and internationally, and has been utilised to promote congruence between assessment and the curriculum [8]. Furthermore, it contains a series of generic strategies for improvement of skills mapped onto each of its competencies which can be used by tutors as the basis for preparing feedback [15], thus addressing the problem of specificity of the content of feedback [15, 16]. It does not, however, map onto a particular model of the consultation and, as the published version is almost 20 years old, it may be out-dated.


We consider that the Calgary Cambridge guide to the medical interview and the LAP each have strengths which compliment the others' weaknesses, and that they could be usefully combined. We now describe a modification of the Calgary Cambridge guide to the medical interview and the development and face validation of a generic consultation skills assessment tool (GeCoS) which would be evaluated for use in formative and summative assessment in both workplace and simulated environments, such as the 'clinical skills laboratory' and in OSCEs.

Methods

Development

Modified Calgary Cambridge framework for the consultation: Keele University School of Medicine has adopted an integrated model for consultation skills [16] (Figure 1) which brings together communication, physical examination, patient management, clinical problem solving, information management and procedural skills. With advice from Dr Jonathan Silverman (Cambridge University, UK) we adapted the Calgary Cambridge guide to the medical interview to the needs of our curriculum by adding a clinical reasoning stream (in the background throughout the consultation), recording the consultation and presenting the patient to colleagues. The visual representation of clinical reasoning emphasises its contribution to gathering information, performing the physical examination, choosing investigations, formulating a diagnosis, negotiating a management plan, making a clinical record and presenting the case. The framework also draws attention to the processes and content of each stage of the consultation. The final version of the framework can be seen in Appendix 1.

Figure 1: An integrated model for consultation skills [16]; At Keele University School of Medicine the skills used in encounters with patients are taught and assessed as an integrated skill set. For example, communication, physical examination and problem solving skills are taught and can be assessed together with clinical procedural skills



Generic Consultation Skills instrument (GeCoS):

The development of GeCoS was undertaken by the authors (four general practitioners and one paediatrician) with advice from Dr Jonathan Silverman (Cambridge University, UK). We systematically identified similarities and differences between the 42 competencies in LAP [7], the 71 in the Calgary Cambridge guide to the medical interview and the GMC's Tomorrow's Doctors guide (2009) [1]. Component competencies identified from each were allocated to the categories in the revised framework, condensing them when possible to keep the list concise. Where necessary the terminology of LAP was updated to match that in the Calgary Cambridge guide to the medical interview. The conventional term "Management" was chosen for the Calgary Cambridge stage "Explanation and Planning" as we felt it included aspects of selection of therapy. This was an iterative process involving each of the authors initially reviewing and condensing the list of skills, discussing their changes and reaching consensus with the rest of the team and then piloting of successive versions of the instrument in formative assessment of students in the skills lab with simulators, and in the workplace with real patients. This resulted in an instrument with 9 categories of consultation skills and 58 component competencies (Table 1, pages 119-121).

Validation study

Questionnaires: A two round modified Delphi process was used to establish the face validity of GeCoS. The first round Delphi questionnaire was based on that used for the original face validation of the LAP [7] and of other skills assessment tools [17, 18, 19], but we modified the response scale to that of McIlwaine et al [20] ("very relevant and succinct", "relevant but needs minor alteration", "unable to assess relevance without item revision or item in need of such revision that it would no longer be relevant" and "not relevant").

The questionnaire offered participants the opportunity to express an opinion on the relevance of all nine categories and 58 component competencies, to suggest rewording of

any element, to add categories and competencies, to move competencies between categories and to reorder categories. The questionnaire was loaded on a commercial questionnaire administration website [21], piloted amongst clinical staff at Keele University and modified where necessary. The questionnaire contained 79 questions, and piloting took participants between 20 and 45 minutes to complete.

The second round questionnaire accompanied the results of the first round questionnaire, which are outlined below. Elements which entered the second round were proposed rewordings of original elements or new elements. Respondents were asked to choose between inclusion or exclusion of new elements, or between the old and new wording of reworded elements using the same response format as in stage 1. This 27 item questionnaire was piloted amongst clinical staff at Keele University and modified as necessary.

Definition of consensus: We used the same *a priori* consensus standards as previous Delphi studies [17, 18, 19]: 70% or greater agreement (the “very relevant and succinct” or “relevant but needs minor alteration” responses) or disagreement (the “unable to assess relevance without item revision or item in need of such revision that it would no longer be relevant” and “not relevant” responses) for inclusion or exclusion respectively in the first round, and 50% or greater agreement for inclusion or exclusion respectively in the second round. If 10% or more of respondents suggested a thematically similar additional element or rewording of an existing category or component in the first round, it would be included in the second round.

Participants: The panel was drawn from hospital and general practice clinical tutors who are assessors of medical students, in order to include experts in a broad range of consultation types. To obtain a multi-institutional view of what should be assessed, clinical skills tutors from other undergraduate Medical Schools were invited to participate via a key contact at each school. We aimed to recruit from schools which used the Calgary Cambridge guide to the medical interview, the Leicester Assessment Package and schools which had no affiliation to either instrument.

Recruitment of panel members was by email invitation. The invitations, study participant information leaflets and consent forms were sent:

1. To selected expert clinical tutors at Keele University considered representative of the speciality groups. Recruitment continued until 50 had agreed to participate (25 from hospital specialities, 25 from general practice)
2. Via a contact person at each of the other Medical Schools asking them to recruit up to 10 clinical skills tutors with affiliation to the university, who were considered to be experts in the field and would be willing to participate.

Potential participants were asked to contact one of the authors (JL), following which a web link to the questionnaire would be sent to them. All potential participants were sent three reminders, the final reminder being from their institutional contact person. Responses were anonymous unless the participant expressed a desire to receive the results, in which case they included their email address and were also sent

the link to the second round questionnaire with a request to continue to participate and subsequently three follow-up reminders if necessary.

Data processing: All categorical data and the free text responses from each question were downloaded from the website. Categorical data was imported into SPSS for analysis; free text responses were sorted by question and printed for analysis.

Analysis: Response to the Agreement / Disagreement scale was analysed using simple descriptive statistics. Free text responses (suggested modifications to existing elements or additional elements) were closely thematically analysed by pairs of the research team. Subsequently the research team met to discuss each pair's analyses and to agree a consensus between the pair, and the rest of the team, on the themes identified by respondents. The number of respondents who suggested each theme was noted.

Results

Stage 1: Of the 96 people who consented to participation and were sent the survey link, 82 (85%) started and 59 (61%) completed the questionnaire. Of these 48 (59%) were male, 48 (59%) described themselves as general practitioners, 1 as practising in both general practice and hospital and 10 gave no reply. 55 (67%) described themselves as undergraduate teachers, 19 (23%) as postgraduate teachers, whilst 8 gave no response. 45 requested the results of Stage 1 and were invited to participate in Stage 2.

Responses to the questions seeking opinions on the relevance of the categories and individual competencies are summarised in Table 1. The nine broad categories were considered either ‘relevant but needs minor alteration’ or ‘very relevant and succinct’ by 94 to 100% of respondents, with ‘Building the relationship’ having the lowest agreement (94%) with 4.5% of respondents considering it ‘not relevant’.

Agreement as to the relevance of the individual competencies varied from 80% (for items numbered 7.1 and 7.4) to 100%. All but six competencies were considered relevant by more than 90% of respondents. These were items numbered 1.3 ‘Establishes agendas’, 6.4 ‘Fosters co-operation’, 7.1 ‘Optimises the setting’, 7.2 ‘Uses third parties appropriately’, 7.4 ‘Makes organisation of consultation overt to patient’ and 7.5 ‘Prioritises agendas appropriately’. It is of note that four of these six were from Category 7: “Organisation”.

There was no consensus for changing the order of categories or moving components between categories.

Table 1: Results of stage 1 validation questionnaire

	Not relevant (%)	Unable to assess relevance*	Relevant but needs minor alteration (%)	Very relevant and succinct (%)	Agreement (%)	Revision suggested (n)
Category 1: OPENING	0.0	0.0	22.4	77.6	100	14
1.1: Introduces self	0.0	0.0	18.8	81.3	100.0	12
1.2: Establishes identities of patient and third parties and preferred forms of address	0.0	1.6	12.5	85.9	98.4	6
1.3: Establishes agendas	1.6	9.4	31.3	57.8	89.1	23
Category 2: HISTORY	0.0	1.5	25.4	73.1	98.5	16
PROCESS						
2.1: Enables patient to fully elaborate presenting problem(s)	0.0	1.7	13.6	84.7	98.3	9
2.2: Listens attentively	1.7	1.7	8.5	88.1	96.6	8
2.3: Skilled use of questioning	0.0	5.1	33.9	61.0	94.9	21
2.4: Clarifies words used and/or symptoms presented by patient as appropriate	0.0	0.0	10.2	89.8	100.0	5
2.5: Recognises and responds appropriately to verbal and non-verbal cues	3.4	1.7	8.5	86.4	94.9	7
CONTENT						
2.6: Sequence of events	1.7	5.1	13.6	79.7	93.2	10
2.7: Symptom analysis	1.7	5.1	22.0	71.2	93.2	13
2.8: Effect on the patient	0.0	6.8	18.6	74.6	93.2	14
2.9: Patient's ideas, concerns and expectations	0.0	0.0	11.9	88.1	100.0	6
2.10: Background information including physical, social and psychological factors	1.7	1.7	18.6	78.0	96.6	11
Category 3: EXAMINATION	0.0	0.0	9.0	91.0	100	7
3.1: Obtains initial and ensures continuing consent	0.0	1.7	15.3	83.1	98.3	10
3.2: Displays competent practice of infection prevention	0.0	0.0	8.5	91.5	100.0	5
3.3: Displays sensitivity to patients' needs and dignity	1.7	0.0	6.8	91.5	98.3	5
3.4: Gives clear instructions and explanations of process	0.0	1.7	5.1	93.2	98.3	5
3.5: Performs examination competently	1.7	0.0	10.2	88.1	98.3	8
3.6: Elicits the physical signs	1.7	1.7	20.3	76.3	96.6	14

Table 1: Results of stage 1 validation questionnaire (continued)

	Not relevant (%)	Unable to assess relevance*	Relevant but needs minor alteration (%)	Very relevant and succinct (%)	Agreement (%)	Revision suggested (n)
Category 4: MANAGEMENT	1.5	1.5	29.9	67.2	97	21
PROCESS						
4.1: Relates explanations to patient's perspective	0.0	1.7	18.6	79.7	98.3	10
4.2: Gives clear information in small chunks	1.7	0.0	15.3	83.1	98.3	9
4.3: Negotiates a mutually acceptable plan with patient and/or third parties	0.0	0.0	8.5	91.5	100.0	6
4.4: Reassures appropriately	1.7	0.0	13.6	84.7	98.3	8
4.5: Checks understanding	0.0	0.0	6.8	93.2	100.0	5
CONTENT						
4.6: Gives key evidence-based information	1.7	0.0	25.4	72.9	98.3	15
4.7: Explores available options, risks and benefits	0.0	0.0	6.8	93.2	100.0	3
4.8: Gives appropriate advice on self care and lifestyle modification	1.7	0.0	6.8	91.5	98.3	6
4.9: Investigates appropriately	1.7	1.7	11.9	84.7	96.6	8
4.10: Prescribes rationally	1.7	0.0	20.3	78.0	98.3	14
4.11: Refers appropriately	1.7	0.0	10.2	88.1	98.3	6
4.12: Makes appropriate use of opportunities for health promotion	5.1	1.7	8.5	84.7	93.2	9
4.13: Agrees appropriate follow-up	1.7	1.7	13.6	83.1	96.6	10
Category 5: PROBLEM SOLVING	3.0	0.0	13.4	83.6	97	12
5.1: Seeks relevant and specific information from patient's record or third parties	3.4	0.0	8.5	88.1	96.6	7
5.2: Generates appropriate working diagnoses or problem list	0.0	0.0	5.1	94.9	100.0	3
5.3: Seeks relevant and discriminating information from history, examination and investigations to help confirm or refute working diagnoses	1.7	0.0	6.8	91.5	98.3	4
5.4: Correctly interprets information obtained	3.4	0.0	3.4	93.2	96.6	2
5.5: Applies basic, behavioural and clinical sciences to solution of patient's problem	5.1	1.7	8.5	84.7	93.2	4
5.6: Recognises limits of competence and acts accordingly	0.0	1.7	6.8	91.5	98.3	4

Table 1: Results of stage 1 validation questionnaire (continued)

	Not relevant (%)	Unable to assess relevance*	Relevant but needs minor alteration (%)	Very relevant and succinct (%)	Agreement (%)	Revision suggested (n)
Category 6: BUILDING THE RELATIONSHIP	4.5	1.5	14.9	79.1	94	15
6.1: Develops and maintains a professional relationship with patient	1.7	1.7	6.8	89.8	96.6	4
6.2: Respects the patient's ideas, beliefs and autonomy	1.7	1.7	6.8	89.8	96.6	5
6.3: Responds empathically	5.1	0.0	1.7	93.2	94.9	2
6.4: Fosters co-operation	8.5	5.1	20.3	66.1	86.4	18
Category 7: ORGANISATION	0.0	0.0	16.4	83.6	100	10
7.1: Optimises the setting	8.5	11.9	10.2	69.5	79.7	11
7.2: Uses third parties appropriately	5.1	6.8	20.3	67.8	88.1	14
7.3: Exhibits a well-organised approach to gathering and giving of information	0.0	1.7	8.5	89.8	98.3	7
7.4: Makes organisation of consultation overt to patient	11.9	8.5	11.9	67.8	79.7	11
7.5: Prioritises agendas appropriately	1.7	8.5	18.6	71.2	89.8	13
7.6: Summarises appropriately	1.7	0.0	10.2	88.1	98.3	6
7.7: Uses time appropriately	3.4	0.0	8.5	88.1	96.6	7
Category 8: RECORD-KEEPING	1.5	0.0	19.4	79.1	98.5	14
PROCESS						
8.1: Makes concise and accurate notes without interfering with dialogue or rapport	1.7	0.0	8.5	89.8	98.3	6
CONTENT						
8.2: Diagnoses / problems	0.0	5.1	13.6	81.4	94.9	10
8.3: Relevant history and examination	0.0	1.7	10.2	88.1	98.3	6
8.4: Outline of management plan, investigations, referral and follow up	0.0	0.0	5.1	94.9	100.0	2
8.5: Information, instructions and special precautions given to the patient	0.0	0.0	10.2	89.8	100.0	4
Category 9: CASE PRESENTATION	3.0	0.0	9.0	88.1	97	6
9.1: Engages and orientates colleague	5.1	0.0	23.7	71.2	94.9	14
9.2: Delivers relevant detail with clarity and logical order	1.7	0.0	6.8	91.5	98.3	3
9.3: Transparent interpretation of data	3.4	1.7	27.1	67.8	94.9	15
9.4: Purposeful conclusion	3.4	0.0	20.3	76.3	96.9	13

* Full wording of item: "Unable to assess relevance without item revision or item in need of such revision that it would no longer be relevant"

There were a total of 608 free text comments on the 67 categories and components, with a median of eight (range 0 to 23, interquartile range 5 to 13) comments. Our prior definition of consensus included the statement that if 10% of respondents suggested a thematically similar change to the text of GeCoS we would include the change in a second round. With 59 respondents completing the questionnaire, we took a cut-off of five respondents making a similar suggestion as the threshold to include a suggestion. There were four suggestions made by five or more respondents (listed in Table 2). We considered that 17 other suggestions better encapsulated competencies than our original statements and these were also included in the second

round (Table 3). Of these 21, three were for renaming Categories 4 'Patient management', 5 'Problem solving' and 6 'Building the relationship', and six were suggestions to increase the patient centred approach of the instrument (items numbered 2.8, 3.1, 3.3, 6.4, 7.2 and 7.3). An additional two competencies were suggested by more than 5 respondents (Table 4). Although there was no consensus to remove competencies in the main part of the study, three respondents had identified an overlap between items 4.8 'Gives appropriate advice on self care and lifestyle modification' and 4.12 'Makes appropriate use of opportunities for health promotion' so we offered Stage 2 respondents the opportunity to exclude the latter.

Table 2: Rewordings suggested by 10% or more of respondents and results of Stage 2 validation questionnaire

Category	Original	Revision	Suggested by N respondents	N (%) of 27 respondents preferring revised wording
HISTORY: Process	2.3: Skilled use of questioning	Skilled use of questioning including open and closed questions	13	19 (70)
HISTORY: Content	2.8: Effect on the patient	Effect on the patient's life	5	15 (56)
EXAMINATION	3.6: Elicits the physical signs	Elicits normal and abnormal findings	5	23 (85)
PATIENT MANAGEMENT	PATIENT MANAGEMENT	MANAGEMENT	5	20 (74)

Table 3: Rewordings suggested by fewer than 5 respondents, but which might encapsulate competencies better than the original statements and results of Stage 2 validation questionnaire

Category	Original	Revision	N (%) of 27 respondents preferring revised wording
HISTORY: Process	2.7: Symptom analysis	Details of symptoms	16 (59)
HISTORY: Content	2.10: Background information including physical, social and psychological factors	Relevant background information including: Past Medical, Drug, Family and Social History; Systems review; Factors influencing health or	12 (44)
		Relevant background information	7 (26)
EXAMINATION	3.1: Obtains initial and ensures continuing consent	Obtains and maintains consent	21 (78)
	3.2: Displays competent practice of infection prevention	Displays competent practice of infection control	25 (93)
	3.3: Displays sensitivity to patient's needs and dignity	Displays sensitivity to patient's needs and dignity; offers chaperone if appropriate	20 (74)
PATIENT MANAGEMENT	4.10: Prescribes rationally	Prescribes rationally and accurately	23 (85)

Table 3 (continued)

Category	Original	Revision	N (%) of 27 respondents preferring revised wording
PROBLEM SOLVING	PROBLEM SOLVING	CLINICAL REASONING	22 (81)
	5.3: Seeks relevant and discriminating information from history, examination and investigations to help confirm or refute working diagnoses	Seeks discriminating information from history, examination and investigations to help confirm or refute working diagnoses	18 (67)
BUILDING THE RELATIONSHIP	BUILDING THE RELATIONSHIP	BUILDING AND MAINTAINING THE RELATIONSHIP	23 (85)
	6.4: Fosters co-operation	Fosters collaboration	25 (93)
ORGANISATION	7.1: Optimises the setting	Considers and optimises the setting	16 (59)
	7.2: Uses third parties appropriately	Involves third parties appropriately	25 (93)
	7.3: Exhibits a well-organised approach to gathering and giving of information	Exhibits a well-organised approach to gathering and sharing of information	24 (89)
RECORD KEEPING	8.4: Outline of management plan, investigations, referral and follow up	Outline of management plan; therapy, investigations, referral and follow up or Outline of management plan	15 (56) 10 (37)
CASE PRESENTATION	9.2: Delivers relevant detail with clarity and logical order	Delivers clear and relevant detail in a logical order	18 (67)
	9.3: Transparent interpretation of data	Communicates interpretation of data transparently	21 (78)
	9.4: Purposeful conclusion	Draws purposeful conclusion	18 (67)

Table 4: Additional competencies suggested by fewer than 5 respondents but considered important to include in second round and results of Stage 2 validation questionnaire

Category	Suggested new competence	Suggested by N respondents	Agreement with inclusion N (%) of 27 respondents
ORGANISATION	7.8: Closes consultation appropriately	3	25 (93)
RECORD KEEPING	8.6: Identification of the author and date of record	2	21 (78)

Stage 2: In the Stage 2 questionnaire the 21 suggested rewordings and the original version of each item, one suggested amalgamation and two suggested additional items, were presented and participants asked for their opinion.

Of the 45 respondents in Stage 2, 27 completed the questionnaire (60%); 68% were male, 54% general practitioners and 61%

undergraduate teachers. All the suggested changes were selected by a majority of respondents (Tables 2, 3 and 4) and 19 (70%) agreed with the deletion of item 4.8.

The validated version of GeCoS (9 categories and 59 component competencies) is shown at Appendix 1 (page 126).

Discussion

What we found: We have modified the Calgary Cambridge guide to the medical interview as a consultation skills model by incorporating a 'Clinical reasoning' core which runs through the framework in parallel with the 'Organization' and 'Building and maintaining the relationship' pillars. We have developed an assessment framework (tool) from the LAP which maps onto the modified Calgary Cambridge guide through a rigorous initial development and piloting process and a multi-institutional and multi-speciality Delphi process, and achieved consensus on the inclusion of all its elements. The level of agreement reached by stage 1 of the study was sufficient for GeCoS to satisfy the *a priori* consensus standards: all the broad headings and all their component competencies were considered "very relevant and succinct" or "relevant but needs minor alteration" by over 70% of respondents. Indeed, 91% of the elements were deemed relevant by over 90% of respondents. However, consideration of the free text suggestions has enabled us to further refine GeCoS through rewording and subsequently validating three of the broad category headings and 18 competencies.

Strengths and weaknesses: The initial development of GeCoS was rigorous with careful mapping of the competencies in the Calgary Cambridge guide and LAP to identify overlaps and gaps between each of them and Tomorrow's Doctors (2009) [1], a careful consensus between members, and initial piloting of the instrument before embarking on the Delphi study. The study used the same *a priori* definitions of consensus as previous studies. We took care to recruit the panel from a range of clinical specialties and Medical Schools which use one or neither of the parent documents. The thematic analysis of the free text responses was similarly rigorous with each group of text being considered by pairs of the research team and the final decision reflecting the consensus of all. We remained open to further revision of the tool.

We set the limit for inclusion of any item in stage 2 at five (rounding down from 5.9 rather than up to six) similar responses and included any suggestion we felt represented an improvement. The Delphi method brings the advantages of obtaining a consensus from a panel of content experts whilst minimizing the influence of more forceful personalities [22]. The panel size was similar to that in other Delphi studies [7, 23] and the response rate was modest, but better than that in others [17, 19]. The stage 1 questionnaire was long, but despite this 61% of respondents completed all 79 items in the survey and a median of eight free text comments were made about each item. We consider that this reflects a high level of engagement by respondents and that their responses are likely to have been considered.

Other literature: Variations of the Delphi method have been used previously for the identification and face validation of assessment criteria in health care [7, 17, 18, 19, 23] and other disciplines [24]. The LAP has been validated for teaching in general practice, but has never been formally validated for hospital teaching [7]. We have not been able to find another instrument which is designed for the assessment of generic (as opposed to context specific) consultation skills and is mapped to a clearly defined consultation skills curriculum.

How GeCoS can be used: GeCoS is now ready for use in formative and summative assessment of the consultation skills of medical students in any simulated or workplace, hospital or community clinical setting. Since it is generic, not all of its elements will be used in any one consultation. Some of the broad categories such as opening, building and maintaining the relationship, organization, record keeping and clinical reasoning will be pertinent to most consultations, even though not all the competencies within these categories will. The other categories (history, examination, management and case presentation) will not all be relevant to every consultation.

The GeCoS assessor judges which of the categories and components are relevant to each consultation and makes a global assessment of how the student responds to the specific challenge presented by the consultation in each category and, if desired, the case overall. Ideally, the assessor's judgment is made over a series of consultations so that all categories and most competencies are assessed. Assessment can result in both a global rating for each category of skills and also in a note of the specific skills which were done well or require improvement.

Being generic, GeCoS lends itself to providing a basis for the second stage of formative assessment, namely constructive feedback. We have also developed a GeCoS tutor / assessor support tool. This is a set of 'Strategies for Improvement' modelled on those for the Leicester Assessment Package [15] which contains suggested strategies for improvement of each of the GeCoS competencies. The assessor / teacher (and student) can use this to pick strategies which are likely to assist the student to develop the skills which s/he most needs to improve. A carefully worded "educational prescription" can be provided without the busy workplace-based assessor needing to re-think the wording of each piece of advice.

What next: Evaluation of the experiences of teachers and learners (and peer assessors) in using GeCoS will inform the refinement of the processes for formative and summative assessment. The development of software to support clinical teachers in formative assessment may be the next step in the development of GeCoS. A study of its reliability as an assessment instrument will be an important sequel.

Conclusion

We reviewed the Calgary Cambridge guide to the medical interview and the Leicester Assessment Package (LAP) and identified concepts common to both or only represented in one or the other. We revised the Calgary Cambridge guide to include concepts it did not contain ('Clinical reasoning', 'Management', 'Record keeping' and 'Case presentation') and populated it with competencies generated from the GMC's Tomorrow's Doctors guide, the LAP and the Calgary Cambridge guide. We validated this in a two-stage Delphi study across eight UK medical schools. The resulting instrument, the Generic Consultation Skills assessment framework (GeCoS) is ready for use in teaching, formative and summative assessment.

Declarations

Ethical approval was given by The Keele University School of Medicine Research Ethics Committee.

The authors have no financial or other interests to declare in relation to this paper.

Acknowledgements

We would like to acknowledge **Jonathan Silverman** of Cambridge University for his help and advice on the modifications to the Calgary Cambridge guide to the consultation; **Adrian Hastings** from the University of Leicester, **John Spencer** from Newcastle University, **David Leeder** from Peninsula Medical School, **Simon Cocksedge** from Manchester University, **Peter Barton** from Glasgow University and **Alexia Papageorgiou** from University of East Anglia, for their assistance with recruitment of the panel, and **Adrian Molyneux** from Keele University for his assistance with the web based questionnaire.

Author information

Janet Lefroy trained as a general practitioner in London and then worked in community health promotion in Tanzania where she also taught at the Kilimanjaro Christian Medical College. She re-entered UK general practice and as Senior Lecturer at Keele University School of Medicine has been involved with the development of, and now leads, the undergraduate communication skills programme. **Simon Gay** is a part-time general practitioner and lecturer in Academic General Practice at Keele University School of Medicine, where he also co-leads on the Ethics, Personal and Professional Development theme of the undergraduate Medical School curriculum. His other interests include the development and integration of clinical reasoning with other consultation skills. **Sheena Gibson** is a part-time general practitioner and a lecturer at Keele University School of Medicine, where she also teaches Professionalism, Assessment and Research modules in the Masters in Medical Education. She is an examiner for the Royal College of General Practitioners Clinical Skills Assessment and an examiner for PLAB (UK General Medical Council). **Stephen Williams** is a consultant paediatrician and leader of the 3rd year of the Keele Medical School curriculum. In this role he has developed and supported students learning of case presentation. **Robert K McKinley** is Chair of General Practice at Keele and a practicing general practitioner. He has a longstanding interest in the assessment and enhancement of the consultation skills of students, doctors in training and established practitioners and the application of the Leicester Assessment Package (LAP) in this regard. He also developed the Leicester Clinical procedural skills Assessment Tool (LCAT) for evaluation and enhancement of the procedural skills of all health professionals.

References


1. General Medical Council. (2009). Tomorrow's Doctors: Outcomes and Standards for undergraduate medical education. London, General Medical Council (GMC). Available at: http://www.gmc-uk.org/education/undergraduate/tomorrows_doctors_2009.asp [Accessed Jun 2010].
2. Norman G. (2002). Medical expertise and mashed potatoes. *Medical Education*. **36**(12):1167-1168.
3. Ericsson K A, Krampe R T, Tesch-Römer C. (1993). The role of deliberate practice in the acquisition of expert performance. *Psychological Review*. **100**(3):363-406.
4. Kurtz S, Silverman J, Draper J. (1998). Teaching and Learning Communication Skills in Medicine. Oxford, Radcliffe Medical Press Ltd.
5. Kurtz S M, Silverman J D. (1996). The Calgary-Cambridge Referenced Observation Guides: an aid to defining the curriculum and organizing the teaching in communication training programmes. *Medical Education*. **30**(2):83-89.
6. Fraser R C, McKinley R K, Mulholland H. (1994). Consultation competence in general practice: testing the reliability of the Leicester assessment package. *British Journal of General Practice*. **44**(384):293-296.
7. Fraser R C, McKinley R K, Mulholland H. (1994). Consultation competence in general practice: establishing the face validity of prioritized criteria in the Leicester assessment package. *British Journal of General Practice*. **44**(380):109-113.
8. Hastings A, McKinley R K, Fraser R C. (2006). Strengths and weaknesses in the consultation skills of senior medical students: identification, enhancement and curricular change. *Medical Education*. **40**(5):437-443.
9. McKinley R K, Fraser R C, van der Vleuten C, Hastings A M. (2000). Formative assessment of the consultation performance of medical students in the setting of general practice using a modified version of the Leicester Assessment Package. *Medical Education*. **34**(7):573-579.
10. Fraser R C, Sarkhou M E, McKinley R K, Van der Vleuten C. (2006). Regulatory end-point assessment of the consultation competence of family practice trainees in Kuwait. *European Journal of General Practice*. **12**(3):100-107.
11. McKinley R K, Middleton J, French A. (2004). A pilot study of diagnostic educational evaluation of junior general practice registrars. *Education for Primary Care*. **15**(2):242-250.
12. Fraser R C, Lee R S Y, Yui Y K, Lam C L K, McKinley R K, Van der Vleuten C P M. (2004). Regulatory Assessment of the Consultation Competence of Family Physicians in Hong Kong. *The Hong Kong Practitioner*. **26**(1):5-15.
13. Lau J K C, Fraser R C, Lam C L K. (2003). Establishing the content validity in Hong Kong of the prioritised criteria of consultation competence in the Leicester Assessment Package (LAP). *The Hong Kong Practitioner*. **25**(12):596-602.
14. McKinley R K, Dean P, Farooqi A. (2003). Reactions of volunteer general practitioners to educational assessment of their consultation performance: a qualitative study. *Education for Primary Care*. **14**(3):293-301.
15. Fraser R C. (1999). Clinical Method: A general practice approach, 3rd Edition. Oxford, Butterworth-Heinemann.
16. McKinley R K, Williams V, Stephenson C. (2010). Improving the content of feedback. *The Clinical Teacher*. **7**(3):161-166.

17. Redsell S A, Lennon M, Hastings A M, Fraser R C. (2004). Devising and establishing the face and content validity of explicit criteria of consultation competence for UK secondary care nurses. *Nurse Education Today*. **24**(3):180-187.
18. Redsell S A, Hastings A M, Cheater F M, Fraser R C. (2003). Devising and establishing the face and content validity of explicit criteria of consultation competence in UK primary care nurses. *Nurse Education Today*. **23**(4):299-306.
19. McKinley R K, Strand J, Gray T, Schuwirth L, Alun-Jones T, Miller H. (2008). Development of a tool to support holistic generic assessment of clinical procedure skills. *Medical Education*. **42**(6):619-627.
20. McIlwaine L M, McAleer J P G, Ker J S. (2007). Assessment of final year medical students in a simulated ward: developing content validity for an assessment instrument. *International Journal of Clinical Skills*. **1**(1):33-35.
21. SurveyMonkey™. Available at: <http://www.surveymonkey.com> [Accessed June 2010].
22. Goodman C M. (1987). The Delphi technique: a critique. *Journal of Advanced Nursing*. **12**(6):729-734.
23. Baldwin P J, Paisley A M, Brown S P. (1999). Consultant surgeons' opinion of the skills required of basic surgical trainees. *British Journal of Surgery*. **86**(8):1078-1082.
24. Haslam I R. (1990). Expert assessment of the national coaching certification program (NCCP) theory component. *Canadian Journal of Sport Sciences*. **15**(3):201-212.

Appendix I

Generic Consultation Skills (GeCoS) - overview of skills to be assessed Keele University School of Medicine

OPENING - Introduces self - Establishes identities of patient and third parties and preferred forms of address - Establishes agendas	CLINICAL REASONING - Seeks relevant and specific information from patient's record or third parties - Generates appropriate working diagnoses or problem list - Seeks discriminating information from history, examination and investigations to help confirm or refute working diagnoses - Correctly interprets information obtained - Applies basic, behavioural and clinical sciences to solution of patient's problem - Recognises limits of competence and acts accordingly
HISTORY PROCESS - Enables patient to fully elaborate presenting problem(s) - Listens attentively - Skilled use of questioning including open and closed questions - Clarifies words used and/or symptoms presented by patient as appropriate - Recognises and responds appropriately to verbal and non-verbal cues CONTENT- obtains the following: - Sequence of events - Details of symptoms - Effect on the patient's life - Patient's ideas, concerns and expectations - Relevant background information including: Past Medical, Drug, Family and Social History; Systems review; Factors influencing health	BUILDING AND MAINTAINING THE RELATIONSHIP - Develops and maintains a professional relationship with patient - Respects the patient's ideas, beliefs and autonomy - Responds empathically - Fosters collaboration
EXAMINATION - Obtains and maintains consent - Displays competent practice of infection control - Displays sensitivity to patient's needs and dignity; offers chaperone if appropriate - Gives clear instructions and explanations of process - Performs examination competently - Elicits normal and abnormal findings	ORGANISATION - Considers and optimises the setting - Involves third parties appropriately - Exhibits a well-organised approach to gathering and sharing of information - Makes organisation of consultation overt to patient - Prioritises agendas appropriately - Summarises appropriately - Uses time appropriately - Closes consultation appropriately
MANAGEMENT PROCESS - Relates explanations to patient's perspective - Gives clear information in small chunks - Negotiates a mutually acceptable plan with patient and/or third parties - Reassures appropriately - Checks understanding CONTENT - Gives key evidence-based information - Explores available options, risks and benefits - Investigates appropriately - Prescribes rationally and accurately - Refers appropriately - Makes appropriate use of opportunities for health promotion - Agrees appropriate follow-up	RECORD KEEPING PROCESS - Makes concise and accurate notes without interfering with dialogue or rapport MINIMUM CONTENT includes: - Diagnoses/problems - Relevant history and examination - Outline of management plan; therapy, investigations, referral and follow up - Information, instructions and special precautions given to the patient - Identification of the author and date of record
	CASE PRESENTATION - Engages and orients colleague - Delivers clear and relevant detail in a logical order - Communicates interpretation of data transparently - Draws purposeful conclusion



Adapted from: the Calgary Cambridge Framework for the Medical Interview with the kind permission of Dr Jonathan Silverman, University of Cambridge, UK; Fraser R C. *Clinical Method - a general practice approach*, Third Edition, Oxford, Butterworth-Heinemann (1999); and material provided by Dr Adrian M Hastings, Department of Medical and Social Care Education, University of Leicester, UK.

If you would like to subscribe to IJOCS,
please contact subscription@ijocs.org

INTERNATIONAL JOURNAL OF CLINICAL SKILLS



If you wish to submit material for
publication, please email info@ijocs.org